

In the Claims:

Please cancel Claims 3-6, 8, 9 and 11-16, without prejudice; amend Claims 1, 2, 7 and 10; and add new Claims 17-20 as indicated below. The status of all pending claims is as follows:

1. (Currently Amended) A laminated magnetic film for a magnetic head, comprising:

a nonmagnetic layer including at least one selected from a group consisting of Ru, Rh, Ir, ~~Cr~~, Cu, Au, Ag, Pt and Pd; and

a magnetic layer including Fe and Co,

wherein an anisotropy magnetic field is 0.8 kA/m or more.

2. (Currently Amended) The laminated magnetic film according to claim 1, wherein the saturation magnetic flux density has uniaxial magnetic anisotropy, and

residual stress in said film is ~~± 0.5 GPa or less.~~ between approximately -0.5 Gpa and $+0.5$ Gpa.

3-6. (Cancelled)

7. (Currently Amended) The laminated magnetic film according to claim 1, wherein roughness of the surface of said magnetic layer is 2 nm or less.

8-9. (Cancelled)

10. (Currently Amended) The laminated magnetic film according to claim 1, wherein total saturation magnetic flux density is 2.0T or more.

11-16. (Cancelled)

17. (New) A multilayered film for a magnetic head, comprising:
two or more nonmagnetic layers; and
two or more magnetic layers,
wherein each of the nonmagnetic layers includes at least one element selected from a group of Ru, Rh, Ir, Cr, Au, Ag, Pt and Pd,
wherein each of the magnetic layers includes Fe and Co, and
wherein a saturated magnetic field is 0.8 kA/m or more.

18. (New) The multilayered film according to claim 17, wherein the saturation magnetic flux density has uniaxial magnetic anisotropy, and

residual stress in said film is between approximately -0.5 Gpa and $+0.5$ Gpa.

19. (New) The multilayered film according to claim 17, wherein roughness of the surface of said film is 2nm or less.

20. (New) The multilayered film according to claim 17, wherein total saturation magnetic flux density is 2.0T or more.